



11 Park Drive, Suite 12  
Boston, MA 02215

## Mouse Monoclonal anti human Interferon-induced 15 kDa protein (ISG15)

### ORDERING INFORMATION

|                      |                                |
|----------------------|--------------------------------|
| <b>Catalog No:</b>   | <b>hAP-0782</b>                |
| <b>Size:</b>         | <b>100µg</b>                   |
| <b>Storage:</b>      | <b>&lt;-20°C</b>               |
| <b>Immunogen:</b>    | <b>Recombinant human ISG15</b> |
| <b>Ig Type:</b>      | <b>Mouse IgG2</b>              |
| <b>Clone:</b>        | <b>MM0782-49J1</b>             |
| <b>Applications:</b> | <b>WB, and IHC</b>             |

**Preparation:** This antibody was produced from a hybridoma (mouse myeloma fused with spleen cells) from a mouse immunized with Recombinant human ISG15.

**Formulation and Storage:** The IgG fraction of culture supernatant was purified by Protein G affinity chromatography and lyophilized from a 0.2 µm filtered solution in phosphate-buffered saline (PBS). Lyophilized samples are stable for 2 years from date of receipt when stored at -70°C.

**Reconstitution:** Reconstitute the antibody with 500µl sterile PBS and the final concentration is 200µg/ml. Reconstituted antibody can also be aliquoted and stored frozen at < -20 for at least for six months without detectable loss of activity. **Avoid repeated freeze-thaw cycles.**

**Specificity:** This antibody recognizes human ISG15 in direct ELISA and WBs.

### **Applications:**

|    |     |     |             |
|----|-----|-----|-------------|
| 1. | WB  | Yes | 1:1000-2000 |
| 2. | IHC | Yes | 1:50-100    |

**Final dilutions should be optimized by the end users and the dilutions provided in the data sheet are for reference only.**

Contact & Ordering Information: Angio-Proteomie, 11 Park Drive, Suite 12, Boston, MA 02215, USA. Tel: 001-6175492665; Fax: 001-4802474337, [angioproteomie@gmail.com](mailto:angioproteomie@gmail.com)