

## Goat anti-Atoh7 (zebrafish) Antibody

<b>Item Number</b>	dAP-1202
<b>Target Molecule</b>	Principle Name: Atoh7 (zebrafish); Official Symbol: atoh7; All Names and Symbols: atoh7; atonal homolog 7 ; ath5; zath5; atonal homolog 5; lak; lakritz; Accession Number (s): NP_571707.1; Human Gene ID(s): ; Non-Human GenelD(s):
<b>Immunogen</b>	QFDGLQTEGYFMHYD, is from internal region
<b>Applications</b>	Pep ELISA Species Tested:
<b>Purification</b>	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
<b>Supplied As</b>	Lyophilized powder of 50ug or 100ug IgG; Reconstitute IgG with 100ul or 200ul sterile DI Water and final product will be formulated as 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin. Aliquot and store at -20°C. Minimize freezing and thawing.
<b>Peptide ELISA</b>	Peptide ELISA: antibody detection limit dilution 1 to 32000.
<b>Western Blot</b>	Western Blot: Not yet tested. At this stage we are dependent on researchers in the field for further characterization of this product. Therefore we cannot recommend an optimal concentration and the product is investigative grade. We would appreciate any
<b>IHC</b>	
<b>Reference</b>	Reference(s): Kay JN, Link BA, Baier H. Staggered cell-intrinsic timing of ath5 expression underlies the wave of ganglion cell neurogenesis in the zebrafish retina. <i>Development</i> . 2005 Jun;132(11):2573-85. Epub 2005 Apr 27.. PMID: 15857917 ->

Optimal dilutions should be determined by each laboratory for each application. The listed dilutions are for recommendation only and the final conditions should be optimized by the end users! This product is sold for **Research Use Only**