

## Goat anti-PGBD2 Antibody

<b>Item Number</b>	dAP-1275
<b>Target Molecule</b>	Principle Name: PGBD2; Official Symbol: PGBD2 ; All Names and Symbols: PGBD2; piggyBac transposable element derived 2; hypothetical protein LOC267002; Accession Number (s): NP_001017434.1; NP_733843.1 ; Human Gene ID(s): 267002; Non-Human GeneID(s):
<b>Immunogen</b>	ESNADTTSQGRRSRR, is from internal region This antibody is expected to recognise both reported isoforms (NP_001017434.1; NP_733843.1)
<b>Applications</b>	Pep ELISA  Species Tested:
<b>Purification</b>	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
<b>Supplied As</b>	lyophilized powder of 50ug or 100ug IgG; Reconstitute IgG with 100ul or 200ul sterile DI Water and final product will be formulated as 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin. Aliquot and store at -20°C. Minimize freezing and thawing.
<b>Peptide ELISA</b>	Peptide ELISA: antibody detection limit dilution 1 to 16000.
<b>Western Blot</b>	Western Blot: Preliminary experiments gave an approx 30kDa band in Human Brain (Cerebral Cortex) lysates after 0.3µg/ml antibody staining. Please note that currently we cannot find an explanation in the literature for the band we observe given the calcul
<b>IHC</b>	
<b>Reference</b>	Reference(s): Wu SC, Meir YJ, Coates CJ, Handler AM, Pelczar P, Moisyadi S, Kaminski JM. piggyBac is a flexible and highly active transposon as compared to sleeping beauty, Tol2, and Mos1 in mammalian cells. Proc Natl Acad Sci U S A. 2006 Oct 10;103(41):15008-13. Epub 2006 Sep 27..PMID: 17005721 ->

Optimal dilutions should be determined by each laboratory for each application. The listed dilutions are for recommendation only and the final conditions should be optimized by the ender users! This product is sold for **Research Use Only**