

## Goat anti-Frizzled 3 Antibody

Item Number	dAP-1463
Target Molecule	Principle Name: Frizzled 3; Official Symbol: FZD3; All Names and Symbols: FZD3 ; frizzled homolog 3 (Drosophila) ; Fz-3; hFz3; frizzled 3; Accession Number (s): NP_059108.1; Human Gene ID(s): 7976; Non-Human GenID(s): 14365 (mouse)
Immunogen	DDQRSKAGSIHSK, is from internal region
Applications	Pep ELISA Species Tested:
Purification	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Supplied As	Lyophilized powder of 50ug or 100ug IgG; Reconstitute IgG with 100ul or 200ul sterile DI Water and final product will be formulated as 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin. Aliquot and store at -20°C. Minimize freezing and thawing.
Peptide ELISA	Peptide ELISA: antibody detection limit dilution 1 to 2000.
Western Blot	Western Blot: Preliminary experiments in Human Brain (Frontal Cortex), Mouse Brain and Rat Brain lysates gave no specific signal but low background (at antibody concentration up to 1µg/ml). We would appreciate any feedback from people in the field - have
IHC	
Reference	Reference(s): You J, Nguyen AV, Albers CG, Lin F, Holcombe RF. Wnt Pathway-Related Gene Expression in Inflammatory Bowel Disease. <i>Dig Dis Sci.</i> 2007 Oct 16; [Epub ahead of print]. PMID: 17939044 ->

Optimal dilutions should be determined by each laboratory for each application. The listed dilutions are for recommendation only and the final conditions should be optimized by the end users! This product is sold for **Research Use Only**