

## Goat anti-biotinidase (aa372-385) Antibody

Item Number	dAP-2790
Target Molecule	Principle Name: biotinidase (aa372-385); Official Symbol: BTD; All Names and Symbols: BTD; biotinidase; OTTHUMP00000160300; OTTHUMP00000209134; OTTHUMP00000209135; OTTHUMP00000209138; biotinase; Accession Number (s): NP_000051.1; Human Gene ID(s): 686; Non-Human GeneID(s):
Immunogen	EKDAQEVCDEATK, is from internal region
Applications	Pep ELISA, WB Species Tested: Human
Purification	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Supplied As	Lyophilized powder of 50ug or 100ug IgG; Reconstitute IgG with 100ul or 200ul sterile DI Water and final product will be formulated as 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin. Aliquot and store at -20°C. Minimize freezing and thawing.
Peptide ELISA	Peptide ELISA: antibody detection limit dilution 1 to 4000.
Western Blot	Western Blot: Approx 60kDa band observed in Human Liver lysates (calculated MW of 61.1kDa according to NP_000051.1). Recommended concentration: 0.5-1.5µg/ml.
IHC	
Reference	Reference(s): Cowan TM, Blitzer MG, Wolf B; Working Group of the American College of Medical Genetics Laboratory Quality Assurance Committee. Technical standards and guidelines for the diagnosis of biotinidase deficiency. Genet Med. 2010 Jul;12(7):464-70.. PMID: 20539236->

Optimal dilutions should be determined by each laboratory for each application. The listed dilutions are for recommendation only and the final conditions should be optimized by the end users! This product is sold for **Research Use Only**