

## Goat anti-FOXF1 (aa316-330) Antibody

Item Number	dAP-3005
Target Molecule	Principle Name: FOXF1 (aa316-330); Official Symbol: FOXF1; All Names and Symbols: FOXF1; forkhead box F1; ACDMPV; FKHL5; FREAC1; FREAC-1; Forkhead, drosophila, homolog-like 5; forkhead box protein F1; forkhead-related activator 1; forkhead-related protein FKHL5; forkhead-related transcription factor 1; Accession Number (s): NP_001442.2; Human Gene ID(s): 2294; Non-Human GeneID(s):
Immunogen	QNSHNAPAEQGIPR, is from internal region
Applications	Pep ELISA Species Tested:
Purification	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Supplied As	Lyophilized powder of 50ug or 100ug IgG; Reconstitute IgG with 100ul or 200ul sterile DI Water and final product will be formulated as 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin. Aliquot and store at -20°C. Minimize freezing and thawing.
Peptide ELISA	Peptide ELISA: antibody detection limit dilution 1 to 128000.
Western Blot	Western Blot: Preliminary experiments gave an approx 48kDa band in lysates of cell line MRC5 PD19 after 1µg/ml antibody staining. Please note that currently we cannot find an explanation in the literature for the band we observe given the calculated size
IHC	
Reference	Reference(s): Saito RA, Micke P, Paulsson J, Augsten M, Peña C, Jönsson P, Botling J, Edlund K, Johansson L, Carlsson P, Jirström K, Miyazono K, Ostman A. Forkhead box F1 regulates tumor-promoting properties of cancer-associated fibroblasts in lung cancer. <i>Cancer Res.</i> 2010 Apr 1;70(7):2644-54.. PMID:

Optimal dilutions should be determined by each laboratory for each application. The listed dilutions are for recommendation only and the final conditions should be optimized by the end users! This product is sold for **Research Use Only**