

## Cyclin-Dependent Kinase 1 Human Recombinant

<b>Item Number</b>	rAP-0922
<b>Synonyms</b>	Cyclin-Dependent Kinase 1, CDC2, Cell Division Cycle 2, G1 To S And G2 To M, Cell Division Control Protein 2 Homolog, Cell Division Protein Kinase 1, P34 Protein Kinase, P34CDC2, CDC28A, Cell Cycle Controller
<b>Description</b>	CDK1 Human Recombinant produced in E.Coli is a single, non-glycosylated polypeptide chain containing 317 amino acids (1-297 a.a) and having a molecular mass of 36.2kDa.
<b>Uniprot Accession Number</b>	P06493
<b>Amino Acid Sequence</b>	MGSSHHHHHH SSGLVPRGSH MEDYTKIEKI GEGTYGVVYK GRHKTTGQV AMKKIRLESE EEGVPSTAIR EISLLKELRH PNIVSLQDVL MQDSRLYLIF EFLSMDLKKY LDSIPPGQYM DSSLVKSYLY QILQGIVFCH SRRVLHRDLK PQNLLIDDKG TIKLADFGLA RAFGIPIRVY THEVTLWYR SPEVLLGSAR YSTPVDIWSI GTIFAEATK KPLFHGDSEI DQLFRIFRAL GTPNNEVWPE VESLQDYKNT FPKWKPGSLA SHVKNLDENG LDLLSKMLIY DPAKRIS-
<b>Source</b>	Escherichia Coli.
<b>Physical Appearance and Stability</b>	Sterile filtered colorless solution. Store at 4°C if entire vial will be used within 2-4 weeks. Store, frozen at -20°C for longer periods of time. For long term storage it is recommended to add a carrier protein (0.1% HSA or BSA). Avoid multiple freeze-thaw cycles.
<b>Formulation and Purity</b>	CDK1 protein solution (1mg/ml) containing 20mM Tris-HCl (pH8.0) and 10% glycerol. Greater than 85.0% as determined by SDS-PAGE.
<b>Application</b>	
<b>Solubility</b>	
<b>Biological Activity</b>	
<b>Shipping Format and Condition</b>	Lyophilized powder at room temperature.

Optimal dilutions should be determined by each laboratory for each application. The listed dilutions are for recommendation only and the final conditions should be optimized by the ender users! This product is sold for **Research Use Only**