

## Phosphoglycerate Mutase 2 Human Recombinant

<b>Item Number</b>	rAP-1327
<b>Synonyms</b>	Phosphoglycerate mutase 2, BPG-dependent PGAM 2, Muscle-specific phosphoglycerate mutase, Phosphoglycerate mutase isozyme M, PGAM-M, PGAM2, PGAMM, GSD10.
<b>Description</b>	PGAM2 Human Recombinant produced in E.coli is a single, non-glycosylated polypeptide chain containing 273 amino acids (1-253) and having a molecular mass of 30.9kDa. PGAM2 is fused to a 20 amino acid His-tag at N-terminus & purified by proprietary chromatographic techniques.
<b>Uniprot Accesion Number</b>	P15259
<b>Amino Acid Sequence</b>	MGSSHHHHHH SSGLVPRGSH MATHRLVMVR HGESTWNQEN RFCGVFDAEL SEKGTEEAKR GAKAIKDAKM EFDICYTSVL KRAIRTLWAI LDGTDQMWL P VVRTWRLNER HYGGLTGLNK AETAAKH-GEE QVKIWRRSFD IPPPPMDEKH PYYNSISKER RYAGLKPGEL PTCESLKDTI ARALPFWNNEE IVPQIKAGKR VLIAAHGNSL RGIVKHLEGM SDQAIMELNL PTGIPIVYEL NKELKPTKPM QFLGDEETVR KAMEAVAAQG KAK.
<b>Source</b>	Escherichia Coli.
<b>Physical Appearance and Stability</b>	Sterile Filtered colorless solution. Store at 4°C if entire vial will be used within 2-4 weeks. Store, frozen at -20°C for longer periods of time. For long term storage it is recommended to add a carrier protein (0.1% HSA or BSA). Avoid multiple freeze-thaw cycles.
<b>Formulation and Purity</b>	The PGAM2 solution (1mg/ml) contains 20mM Tris-HCl buffer (pH8.0), 20% glycerol, 0.1M NaCl and 1mM DTT. Greater than 95.0% as determined by SDS-PAGE.
<b>Application</b>	
<b>Solubility</b>	
<b>Biological Activity</b>	
<b>Shipping Format and Condition</b>	Lyophilized powder at room temperature.

Optimal dilutions should be determined by each laboratory for each application. The listed dilutions are for recommendation only and the final conditions should be optimized by the ender users! This product is sold for **Research Use Only**