

Mouse Monoclonal Antibody to RET

Catalogue Number	sAP-0132
Target Molecule	Name: RET Aliases: RET MW: N/A Entrez Gene ID: 5979
Description	RET (ret proto-oncogene) is a member of the cadherin superfamily and a receptor tyrosine kinase, which are cell-surface molecules that transduce signals for cell growth and differentiation. It can undergo oncogenic activation in vivo and in vitro by cytogenetic rearrangement. Ligands that bind the Ret receptor include the glial cell line-derived neurotrophic factor (GDNF) and its congeners neurturin, persephin and artemin. Alterations in the corresponding Ret gene are associated with diseases including papillary thyroid carcinoma, multiple endocrine neoplasia (type 2A and 2B), familial medullary thyroid carcinoma and a congenital developmental disorder known as Hirschsprung's disease. The Tyr905 residue located in the Ret kinase domain plays a crucial role in Ret catalytic and biological activity. Substitution of Phe for Tyr905
Immunogen	Purified recombinant fragment of RET (aa896-1063) expressed in E. Coli.
Recitative Species	Human
Clone	MM8D10C9;
Size and Concentration	100µg/1mg/ml
Supplied as	Lyophilized Powder from 100µl of Ascitic fluid containing 0.03% sodium azide.
Reconstitution/Storages	Reconstituted with 100µl sterile DI H ₂ O, at stored at 4°C or -20°C for short or long term storage
Applications	ELISA: 1 to 10000; WB: 1 to 500 - 1 to 2000
Shipping	Regular FEDEX overnight shipment (ambient temperature)
Reference	1. Young HM. Anderson RB. Anderson CR. Auton Neurosci. 2004, May 31,112(1-2):1-14. Review. ; 2. Myers SM. Mulligan LM. Cancer Res. 2004, Jul 1,64(13):4453-63. ;

Optimal dilutions should be determined by each laboratory for each application. The listed dilutions are for recommendation only and the final conditions should be optimized by the ender users! This product is sold for **Research Use Only**