



## Mouse Monoclonal Antibody to MBP

<b>Cataloge Number</b>	sAP-0638
<b>Target Molecule</b>	<b>Name: MBP</b> <b>Aliases: MGC99675</b> <b>MW: 33kDa</b> <b>Entrez Gene ID: 4155</b>
<b>Description</b>	The protein encoded by the classic MBP gene is a major constituent of the myelin sheath of oligodendrocytes and Schwann cells in the nervous system. However, MBP-related transcripts are also present in the bone marrow and the immune system. These mRNAs arise from the long MBP gene (otherwise called "Golli-MBP") that contains 3 additional exons located upstream of the classic MBP exons. Alternative splicing from the Golli and the MBP transcription start sites gives rise to 2 sets of MBP-related transcripts and gene products. The Golli mRNAs contain 3 exons unique to Golli-MBP, spliced in-frame to 1 or more MBP exons. They encode hybrid proteins that have N-terminal Golli aa sequence linked to MBP aa sequence. The second family of transcripts contain only MBP exons and produce the well characterized myelin basic
<b>Immunogen</b>	Purified recombinant fragment of human MBP expressed in E. Coli. ;
<b>Recitative Species</b>	Human
<b>Clone</b>	MM2H9;
<b>Size and Concentration</b>	100µg/1mg/ml
<b>Supplied as</b>	Lyophilized Powder from 100µl of Ascitic fluid containing 0.03% sodium azide.
<b>Reconstitution/Storages</b>	Reconstituted with 100µl sterile DI H <sub>2</sub> O, at stored at 4°C or -20°C for short or long term storage
<b>Applications</b>	ELISA: 1 to 10000; WB: 1 to 500 - 1 to 2000; IHC: 1 to 200 - 1 to 1000; ICC: 1 to 200 - 1 to 1000; FCM: 1 to 200 - 1 to 400
<b>Shipping</b>	Regular FEDEX overnight shipment (ambient temperature)
<b>Reference</b>	1. Cancer Epidemiol Biomarkers Prev. 2009 May;18(5):1651-8. ; 2. Biochemistry. 2009 Jun 9;48(22):4720-7. ;

Optimal dilutions should be determined by each laboratory for each application. The listed dilutions are for recommendation only and the final conditions should be optimized by the ender users! This product is sold for **Research Use Only**