

Mouse Monoclonal Antibody to GRM3

Catalogue Number	sAP-1586
Target Molecule	Name: GRM3 Aliases: GLUR3; mGlu3; GPRC1C; MGLUR3 MW: 99kDa
Description	Entrez Gene ID: 2913 L-glutamate is the major excitatory neurotransmitter in the central nervous system and activates both ionotropic and metabotropic glutamate receptors. Glutamatergic neurotransmission is involved in most aspects of normal brain function and can be perturbed in many neuropathologic conditions. The metabotropic glutamate receptors are a family of G protein-coupled receptors, that have been divided into 3 groups on the basis of sequence homology, putative signal transduction mechanisms, and pharmacologic properties. Group I includes GRM1 and GRM5 and these receptors have been shown to activate phospholipase C. Group II includes GRM2 and GRM3 while Group III includes GRM4, GRM6, GRM7 and GRM8. Group II and III receptors are linked to the inhibition of the cyclic AMP cascade but differ in their agonist selectivities.
Immunogen	Purified recombinant fragment of human GRM3 (AA: extra 433-576) expressed in E. Coli.
Recitative Species	Human;
Clone	MM6H10C3
Size and Concentration	100µg/1mg/ml
Supplied as	Lyophilized Powder from 100µl of Purified antibody in PBS with 0.05% sodium azide
Reconstitution/Storages	Reconstituted with 100µl sterile DI H2O, at stored at 4°C or -20°C for short or long term storage
Applications	ELISA: 1 to 10000; WB: 1 to 500 - 1 to 2000; ICC: N to A; FCM: 1 to 200 - 1 to 400; IHC: 1 to 200 - 1 to 1000
Shipping	Regular FEDEX overnight shipment (ambient temperature)
Reference	1. Prog Neuropsychopharmacol Biol Psychiatry. 2015 Oct 1;62:14-21. 2. Cell Mol Biol (Noisy-le-grand). 2014 Sep 6;60(2):42-9.

Optimal dilutions should be determined by each laboratory for each application. The listed dilutions are for recommendation only and the final conditions should be optimized by the ender users! This product is sold for **Research Use Only**