

Mouse Monoclonal Antibody to BCR

Catalogue Number	sAP-1593
Target Molecule	Name: BCR Aliases: ALL; CML; PHL; BCR1; D22S11; D22S662 MW: 142.8kDa Entrez Gene ID: 613
Description	A reciprocal translocation between chromosomes 22 and 9 produces the Philadelphia chromosome, which is often found in patients with chronic myelogenous leukemia. The chromosome 22 breakpoint for this translocation is located within the BCR gene. The translocation produces a fusion protein which is encoded by sequence from both BCR and ABL, the gene at the chromosome 9 breakpoint. Although the BCR-ABL fusion protein has been extensively studied, the function of the normal BCR gene product is not clear. The protein has serine/threonine kinase activity and is a GTPase-activating protein for p21rac. Two transcript variants encoding different isoforms have been found for this gene.
Immunogen	Purified recombinant fragment of human BCR (AA: 139-280) expressed in E. Coli.
Reactive Species	Human;
Clone	MM6B5E12
Size and Concentration	100µg/1mg/ml
Supplied as	Lyophilized Powder from 100µl of Purified antibody in PBS with 0.05% sodium azide
Reconstitution/Storages	Reconstituted with 100µl sterile DI H ₂ O, at stored at 4°C or -20°C for short or long term storage
Applications	ELISA: 1 to 10000; WB: 1 to 500 - 1 to 2000; ICC: N to A; FCM: N to A; IHC: N to A
Shipping	Regular FEDEX overnight shipment (ambient temperature)
Reference	1.Asian Pac J Cancer Prev. 2014;15(22):9961-6.2.Asian Pac J Cancer Prev. 2014;15(12):4773-80.

Optimal dilutions should be determined by each laboratory for each application. The listed dilutions are for recommendation only and the final conditions should be optimized by the ender users! This product is sold for **Research Use Only**