

Mouse Monoclonal Antibody to ELANE

Catalogue Number	sAP-1646
Target Molecule	<p>Name: ELANE</p> <p>Aliases: GE; NE; HLE; HNE; ELA2; SCN1; PMN-E</p> <p>MW: 28.5kDa</p> <p>Entrez Gene ID: 1991</p>
Description	Elastases form a subfamily of serine proteases that hydrolyze many proteins in addition to elastin. Humans have six elastase genes which encode structurally similar proteins. The encoded preproprotein is proteolytically processed to generate the active protease. Following activation, this protease hydrolyzes proteins within specialized neutrophil lysosomes, called azurophil granules, as well as proteins of the extracellular matrix. The enzyme may play a role in degenerative and inflammatory diseases through proteolysis of collagen-IV and elastin. This protein also degrades the outer membrane protein A (OmpA) of E. coli as well as the virulence factors of such bacteria as Shigella, Salmonella and Yersinia. Mutations in this gene are associated with cyclic neutropenia and severe congenital neutropenia (SCN). This gene is present in a gene
Immunogen	Purified recombinant fragment of human ELANE (AA: 140-267) expressed in E. Coli.
Reactive Species	Human;Rat;
Clone	MM6B6G6
Size and Concentration	100µg/1mg/ml
Supplied as	Lyophilized Powder from 100µl of Purified antibody in PBS with 0.05% sodium azide
Reconstitution/Storages	Reconstituted with 100µl sterile DI H ₂ O, at stored at 4°C or -20°C for short or long term storage
Applications	ELISA: 1 to 10000; WB: 1 to 500 - 1 to 2000; ICC: N to A; FCM: 1 to 200 - 1 to 400; IHC: N to A
Shipping	Regular FEDEX overnight shipment (ambient temperature)
Reference	1.Pediatr Blood Cancer. 2015 Dec;62(12):2229-31. 2.Lung. 2014 Aug;192(4):595-9.

Optimal dilutions should be determined by each laboratory for each application. The listed dilutions are for recommendation only and the final conditions should be optimized by the ender users! This product is sold for **Research Use Only**