

Mouse Monoclonal Antibody to KIR3DL1

Catalogue Number	sAP-1703
Target Molecule	Name: KIR3DL1 Aliases: KIR; NK1B; NKAT3; NKB1B; NKAT-3; CD158E1; KIR3DL1/S1 MW: 49kDa Entrez Gene ID: 3811
Description	Killer cell immunoglobulin-like receptors (KIRs) are transmembrane glycoproteins expressed by natural killer cells and subsets of T cells. The KIR genes are polymorphic and highly homologous and they are found in a cluster on chromosome 19q13.4 within the 1 Mb leukocyte receptor complex (LRC). The gene content of the KIR gene cluster varies among haplotypes, although several "framework" genes are found in all haplotypes (KIR3DL3, KIR3DP1, KIR3DL4, KIR3DL2). The KIR proteins are classified by the number of extracellular immunoglobulin domains (2D or 3D) and by whether they have a long (L) or short (S) cytoplasmic domain. KIR proteins with the long cytoplasmic domain transduce inhibitory signals upon ligand binding via an immune tyrosine-based inhibitory motif (ITIM), while KIR proteins with the short cytoplasmic domain
Immunogen	Purified recombinant fragment of human KIR3DL1 (AA: extra 22-340) expressed in HEK293 cells.
Recitative Species	Human;Rat;
Clone	MM6D9A4
Size and Concentration	100µg/1mg/ml
Supplied as	Lyophilized Powder from 100µl of Purified antibody in PBS with 0.05% sodium azide
Reconstitution/Storages	Reconstituted with 100µl sterile DI H2O, at stored at 4°C or -20°C for short or long term storage
Applications	ELISA: 1 to 10000; WB: 1 to 500 - 1 to 2000; ICC: N to A; FCM: 1 to 200 - 1 to 400; IHC: N to A
Shipping	Regular FEDEX overnight shipment (ambient temperature)
Reference	1.Clin Exp Immunol. 2016 Mar;183(3):419-30.2.J Leukoc Biol. 2010 Nov;88(5):905-12.

Optimal dilutions should be determined by each laboratory for each application. The listed dilutions are for recommendation only and the final conditions should be optimized by the ender users! This product is sold for **Research Use Only**